



2026

29-31 May

Dall Dynamic 2026 Stage Briefings

General shooting areas and passageways per rule 2.2.1.5 are indicated in these briefings by yellow/red faultlines. All fault lines used for actual stage building will be red.


Several stages have reduced horizontal muzzle angles per rule 2.1.2.1. The angles are indicated by flags, and will be pointed out during the briefing. They are listed in these written stage briefings but are not shown in the stage diagrams.

Stage	CoF type	Stage	CoF type
1	Medium	7	Medium
2	Medium	8	Short
3	Long	9	Long
4	Short	10	Medium
5	Short	11	Short
6	Short	12	Short

Stage ratios:	
Short	6
Medium	4
Long	2

After the competitor has shot stage 7, after the end of the COF, the competitor will proceed to stage 8, LAMR and attempt the stage.


After the competitor has shot stage 11, after the end of the COF, the competitor will proceed to stage 12, LAMR and attempt the stage.



Stage 1, range A

Scoring Targets: 11 IPSC Targets
 Minimum Number of Rounds Required: 22
 Safety angles: 90 degrees left and right.
 Competitor Ready Condition: Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Standing anywhere within the designated area A.
Time starts: Audible signal.
Procedure: On signal, engage targets.



Stage 2, range C


Scoring Targets: 11 IPSC Targets, 2 IPSC Poppers
 Minimum Number of Rounds Required: 24
 Safety angles: 90 degrees left and right.
 Competitor Ready Condition: Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Standing anywhere inside designated area A, facing downrange.

Time starts: Audible signal.

Procedure: On signal, engage targets.

Note: The tunnel on this stage is a Cooper Tunnel.



Stage 3, range E

Scoring Targets: 13 IPSC targets, 2 IPSC Poppers, 2 IPSC Mini Poppers, 2 IPSC Metal Plates

Minimum Number of Rounds Required: 32

Safety angles: 90 degrees left and right.


Competitor Ready Condition: Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Standing at A, heels touching faultline, one foot on each side of mark, facing downrange.

Time starts: Audible signal.

Procedure: On signal, engage targets.

Note: IPSC Mini Popper IMP1 activates moving target SW1, IPSC Mini Popper IMP2 activates moving target SW2. Moving targets will remain visibly at rest.



Stage 4, range F

Scoring Targets:	6 IPSC Targets
Minimum Number of Rounds Required:	12
Safety angles:	Indicated by flags
Competitor Ready Condition:	Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Standing anywhere within the designated area.

Time starts: Audible signal.

Procedure: On signal, engage targets.




www.vortexoptics.com

Stop by our booth on range D and meet Vortex Danmark.

We'll be showcasing a wide selection of red dot sights and accessories from Vortex Optics.
Check out, for example, the latest Defender and Venom models.

Grab a deal and save 10% on all orders placed on 30/05 and 31/05.

We look forward to seeing you for two exciting days of IPSC shooting




Stage 5, range G

Scoring Targets:	6 IPSC Targets
Minimum Number of Rounds Required:	12
Safety angles:	Indicated by flags, once past the flags: 90 degrees to the left and right.
Competitor Ready Condition:	Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Standing in front of barrel, with prop placed on top of barrel. Prop can be placed on either barrel.

Time starts: Audible signal.

Procedure: On signal, engage targets. Prop must be placed on top of opposite barrel before the last shot is fired. When shots are fired, prop must be either carried in Weak Hand or placed on opposite barrel.




Stage 6, range H

Scoring Targets:	12 IPSC Targets
Minimum Number of Rounds Required:	12
Safety angles:	90 degrees left and right.
Competitor Ready Condition:	Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Standing anywhere within the designated area.

Time starts: Audible signal.


Procedure: On signal, engage targets with a minimum of one shot per target.



Stage 7, range I1

Scoring Targets:	8 IPSC Targets, 3 IPSC Mini Poppers, 4 IPSC Metal Plates
Minimum Number of Rounds Required:	21
Safety angles:	90° left, right indicated by flag. Once past the flag, 90° right.
Competitor Ready Condition:	Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Standing anywhere within the designated area.
Time starts: Audible signal.
Procedure: On signal, engage targets.



Stage 8, range I2


Scoring Targets:	5 IPSC Targets, 1 IPSC Metal Plate, 1 IPSC Mini Popper
Minimum Number of Rounds Required:	12
Safety angles:	Indicated by flags
Competitor Ready Condition:	Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Standing anywhere within the designated area A.
Time starts: Audible signal.
Procedure: On signal, engage targets.
Note: MP1 activates moving targets T5 and PL1, which remain visible at rest.



www.northernballistics.dk


Come and visit us at our stand on Range D
and hear about our custom ammo solutions



Stage 9, range J

Scoring Targets: 15 IPSC Targets, 2 IPSC Mini Poppers
 Minimum Number of Rounds Required: 32
 Safety angles: 90 degrees left and right.
 Competitor Ready Condition: Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2


Start position: Standing anywhere within the designated area A.
Time starts: Audible signal.
Procedure: On signal, engage targets.
Note: IPSC mini popper MP1 and MP2 activates moving target T5, which will remain visible at rest.



Stage 10, range K

Scoring Targets:	12 IPSC Targets
Minimum Number of Rounds Required:	24
Safety angles:	Indicated by flags
Competitor Ready Condition:	Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2


Start position: Standing anywhere within the designated area A.
Time starts: Audible signal.
Procedure: On signal, engage targets.



Stage 11, range L1

Scoring Targets:	6 IPSC Targets
Minimum Number of Rounds Required:	12
Safety angles:	Indicated by flags
Competitor Ready Condition:	Competitor standing as per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Standing anywhere within the designated area A.
Time starts: Audible signal.
Procedure: On signal, engage targets.
Note: Pulling left rope removes no-shoot from T5. Pulling right rope removes no-shoot from T2.




Stage 12, range L2

Scoring Targets: 9 IPSC Targets, 2 IPSC Metal Plates
 Minimum Number of Rounds Required: 11
 Safety angles: Indicated by flags.
 Competitor Ready Condition: As per Rule 3.2.2, Section 8.2, & Appendix E2

Start position: Sitting on chair, palms of both hands resting on legs.
Time starts: Audible signal.
Procedure: On signal, engage targets with a minimum of one shot per target, using Strong Hand only.

The Range



Zero Mike Armory

www.zeromike.dk

Come and meet us at our stand on Range D